

Vent III Pressure control Ventilator Management

- Medical Practice Improvement Project
- Paul Wisniewski, DO
- Trauma Director St Mary Medical Center
- January 16, 2025



Disclosures

- None



Learning Objectives

- 1. Look at pressure control ventilation
- 2. Managing and Calculating tidal volume
- 3. Managing Airway pressures
- 4. Increasing oxygenation and ventilating difficult conditions



When Do We Initiate Pressure Control Ventilation?

- Patients that can not be ventilated or oxygenated using volume cycled ventilation.
 - High Peak Airway pressure
 - Low lung compliance
 - Poor oxygenation requiring higher mean airway pressure to achieve oxygenation
 - Lung Protective strategies



Peak Airway Pressure: Does it Matter?

- Short answer: **Not really**
 - What?!
 - The pressure observed at the alveoli is what matters
- What is the Goal for Peak airway pressure?
 - Less than 35 cm H₂O everyone agrees is safe
 - **Pressure observed at the alveoli**




If the high airway pressure alarm rings and is showing high peak pressure: What next?



- Need to do two maneuvers
 - Inspiratory Hold → plateau pressure
 - Expiratory Hold → Autopeep
- Inspiratory Hold:
- Tell you the plateau pressure
- Plateau pressure
 - An inspiratory hold on a ventilator is used to measure the plateau pressure (Pplat), which is the pressure used to maintain the air in the lungs. It reveals the pressure in the alveoli and helps assess lung compliance
 - A change of less than 4 cm of H₂O show it is at the alveoli or outward (Compliance problem)




Inspiratory Hold and Its Meaning



PEAK 50cm H₂O
 Insp H 50cm then goes to 25cm H₂O
 25cm H₂O UPPER airway
 PEAK 50cm H₂O
 Insp Hold 50cm H₂O then goes to 47cm H₂O
 Compliance (alveoli) at 47



Expiratory Hold to Assess AUTO PEEP



So Much Pressure: What Matters?

- Pressure at the alveoli that matters
 - Goal is pressure less than 35cm H2O
- There are times in difficult patients I will do inspiratory hold and see that the Pplat is less than 35 cm H2O and let the PEAK Airway pressure be 50 cm H2O. What matters is what pressure is the alveoli seeing.....



Now How Do we Set up a PC controlled Ventilator?

- Set the Ventilator
 - Rate : 10-20 breathes per minute
 - FI02 30-100%
 - Peep 5-15 cm H20
 - Inspiratory Pressure (IP) 10-30 cm H20
 - TV → not set TV → based on compliance of the lung
 - Let's look at some formulas



Formulas to Help set the PC vent mode

- Total Airway pressure
 - Goal want less than 35 cm H₂O
 - can go to 45cm H₂O or 50 cm H₂O if needed.
- Total Airway Pressure = Sum of the Pressures in the system
 - $TAP = \sum \text{pressure} = IP + PEEP$



Compliance and its relationship to pressure and volume

- Lung compliance
- Solve for tidal volume
- $TV = C_L * \Delta P$
- The bigger the ΔP the bigger the tidal volume.
- Small amounts of pressure should get large volumes.
- IF not, then compliance is poor and there is trouble

$$C_L = \frac{\Delta V(L)}{\Delta P(cm)}$$

C_L = lung compliance

V = volume P = pressure

Δ = change in



Tidal Volume

- ΔP = Difference in Pressures
 - $\Delta P = IP - P_{\text{peep}}$
 - Increasing IP will increase the delta
 - Increasing peep will decrease the delta
 - Mean airway pressure and peep are necessary to oxygenate
 - If you increase peep 2 cm H₂O then you need to increase IP 2 cmH₂O to keep the same tidal volume
 - Keep the ΔP the same but you increase the total airway pressure by 4 cm H₂O

- $TV = C_L * \Delta P$



How do I Know that the patient is Recovering?

- Math will tell us

If the tidal volume is increasing with the same pressure the lung is recovering

Compliance is improving

$$TV = C_L * \Delta P$$



What do I do with Increasing Tidal Volume?

- Start to decrease the IP (Inspiratory Pressure) to maintain same tidal volume
- Decrease PEEP as Oxygenation (O2 Saturation and PaO2) determines
 - When the Total Airway pressure is less than 25 cm H2O consider transition to volume cycled ventilation again
 - TIPS when transitioning
 - Keep the PEEP the same
 - Keep the Fio2 the same
 - Need FiO2 less than 50%
 - The patient may desaturate for a few minutes as the MEAN Airway pressure is lower



Mean Airway Pressure Calculation

- Advantages
 - Time average of pressure in cycle
 - Direct relationship to oxygenation
 - Higher in Pressure ventilation
 - Inverting Ratio of I:E adds significantly to Mean Airway Pressure
 - PEEP is Biggest component to Mean Airway pressure

Mean Airway Pressure (\bar{P}_{aw})

$$\bar{P}_{aw} = \frac{(T_I \times PIP) + (T_E \times PEEP)}{T_{tot}}$$

$$\bar{P}_{aw} = (PIP - PEEP) \times T_I / T_{tot} + PEEP$$

- Pressure ventilation
 $(PIP - PEEP) \cdot (T_I / T_{tot}) + PEEP$
- Volume ventilation
 $0.5 \cdot (PIP - PEEP) \cdot (T_I / T_{tot}) + PEEP$



Next Week

Final Lecture in Vent Series

Difficult conditions and Trouble shooting

- Look at strategies for ARDS
- Adjuncts to ventilation (Prostacyclin and NO)
- When do you consider ECMO?

- Next Lecture January 30 , 2025



Works Cited

what does an expiratory hold tell you on the vent - Search Images

what does an inspiratory hold tell you on the vent – Search

simplified equation for lung compliance - Search Images

simplified equation for mean airway pressure in pressure control ventilation -
Search Images



Disclaimer for Presentations

The **Presentations** provided by **Cutting Edge Surgical Medical Group**, a division of **Paul J. Wisniewski, DO, Inc.**, are intended to offer general information and guidance based on current research, clinical best practices, and expert opinions in the medical field. These presentations are designed to assist healthcare professionals in making informed decisions regarding patient care, but they are not a substitute for personalized medical advice, diagnosis, or treatment.

Important Notes:

- The presentations are for informational purposes only and are not intended to replace professional medical judgment. They should be used as a reference and adapted to the specific needs of individual patients.
- Application of these presentations should be made by healthcare providers, taking into account the unique medical history, condition, and circumstances of each patient.
- While **Cutting Edge Surgical Medical Group** strives to provide the most accurate, up-to-date, and evidence-based information, we cannot guarantee that all content on the website is free from errors, omissions, or outdated information. Medical knowledge evolves rapidly, and presentations may be updated periodically.
- **Cutting Edge Surgical Medical Group** does not assume responsibility for the outcomes of any medical decision or intervention based on the use of these presentations. The use of this information is at the user's own discretion.
- Healthcare providers are encouraged to consult the latest peer-reviewed research, professional standards, and individual patient assessments before making clinical decisions.

For specific medical concerns, treatment advice, or patient management, please consult directly with a qualified healthcare provider.

@Cutting Edge Surgical Medical Group

Cutting Edge

Surgical Medical Group

